

### **3-4.2.5.2 Garages**

Front-loaded garages shall be setback at least 15 feet behind the front building line of the primary structure.

Side-loaded garages shall be no nearer the front lot line than the front edge of the primary structure.

Rear-loaded garages (accessed from an alley or other street) shall be set back at least fifteen (15) feet from the rear lot line.

### **3-4.2.5.3 Open Space Requirements**

Every site that is rezoned to R-10 or subject to subdivision or site plan approval consisting of a total of twelve (12) or more residential units shall have at least one green to serve as open space for and the focal point and organizing visual element of the neighborhood or subdivision. Greens in cluster subdivisions shall be not less than 6,000 square feet each and in conventional subdivisions shall be not less than 10,000 square feet each. An average of one green for each 10 acres of gross site area within the subdivision shall be provided.

## **3-4.3 R-6 Residential District**

### **3-4.3.1 Legislative Intent**

This district is composed of medium to high concentrations of predominantly residential uses, generally intended to encompass and preserve those residential structures which have developed over the years along the traffic arteries serving the Central Business District. The regulations of this district are designed to stabilize and protect these areas while at the same time allowing compatible changes to occur in an effort to ensure that the use of these areas is economically feasible and to implement the Comprehensive Plan.

### **3-4.3.2 Permitted Uses (by-right)**

- Accessory buildings
- Churches
- Community buildings
- Group Homes of eight (8) residents or less
- Home occupations
- Off-street parking for permitted uses subject to Article 7
- Open space subject to Article 9.
- Signs subject to Article 6
- Single-family detached dwelling units

- Utilities related to and necessary for services within the Town, including poles, wires, transformers, telephone booths, and the like for electrical power distribution or communication service, and underground pipelines or conduits for local electrical, gas, sewer, or water service, but not those facilities listed as requiring a special use permit

**3-4.3.3 Permissible Uses** (by special use permit upon approval of Town Council)

- Active and passive recreation and recreational facilities.
- Bed and breakfast.
- Child care center, day care center or nursery school.
- Clubs
- Dwellings in an accessory building.
- Dwelling units, Two-family
- Dwellings, three or four family structures
- Family care homes or foster homes
- Hospitals and clinics.
- Libraries.
- Nursing Homes
- Offices, business and professional.
- Parks and playgrounds.
- Schools.
- Swim and tennis clubs.
- Tea rooms.
- Traditional Neighborhood Developments
- Treatment plants, water storage tanks, major transmission lines or pipelines, pumping or regular stations, communications towers, storage yards and substations, and cable television facilities and accessory structures.

**3-4.3.4 Lot and Yard Regulations**

Use	Minimum	Minimum	Maximum	Minimum Setbacks		
	Lot Size (sq. ft.)	Lot Frontage (at front setback)	Lot Coverage (impervious surfaces)	Front	Side	Rear
Single-Family Dwelling	6,000	55 ft.	65%	20 ft.	8 ft.	20 ft.
Two-Family Dwelling	9,000	65 ft.	75%	20 ft.	15 ft.	20 ft.
Three-Family Dwelling	12,000	75 ft.	80%	20 ft.	15 ft.	20 ft.
Four-Family Dwelling	15,000	85 ft.	80%	20 ft.	15 ft.	20 ft.
Other Permitted Uses	6,000	55 ft.	65%	20 ft.	15 ft.	20 ft.

**3-4.3.5 Building Regulations**

**3-4.3.5.1 Building Height**

Use	Maximum Height
Single-Family Dwellings	35 ft.*
Other Permitted Uses	35 ft.**

- \* The height limit for dwellings may be increased up to forty-five (45) feet and up to three (3) stories provided that front, side, and rear yard setbacks increase one (1) foot for each additional foot of building height over thirty-five (35) feet. This may be achieved in part by setting back the second and/or third stories of the building a greater amount than the first story.
- \*\* A public or institutional building or church may be erected to a height of sixty (60) feet from grade provided that required front, side, and rear yards shall be increased one (1) foot for each foot in height over thirty-five (35) feet.

**3-4.3.5.2 Garages**

Front-loaded garages shall be setback at least fifteen (15) feet behind the front building line of the primary structure.

Side-loaded garages shall be no nearer the front lot line than the front edge of the primary structure.

Rear-loaded garages (accessed from an alley or other street) shall be set back at least fifteen (15) feet from the rear lot line.

**3-4.3.5.3 Open Space Requirements**

Every site that is rezoned to R-6 or subject to subdivision or site plan approval consisting of a total of twelve (12) or more residential units shall have at least one green to serve as open space for and the focal point and organizing visual element of the neighborhood or subdivision. Greens shall be not less than 6,000 square feet each. An average of one green for each 10 acres of gross site area within the subdivision shall be provided.